



金刚石热压烧结锯片
热压保护齿细波锯片

Hot Pressed Protected Fine Turbo Blades




MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Saw Blades for Blocks, medium-hard building bricks, paving slabs, concrete roof tiles. Masonry & abrasives.

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 10 mm	1.8 mm	10	22556
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 10 mm	2.0 mm	10	22569
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 10 mm	2.0 mm	10	22572
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 10 mm	2.1 mm	10	22585
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 10 mm	2.2 mm	10	22598
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 10 mm	2.4 mm	10	22601
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 10 mm	2.4 mm	10	22614
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 10 mm	3.0 mm	10	22627

金刚石热压烧结锯片
热压T形齿波纹锯片

T-Shape Segmented Turbo Saw Blades




MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional dry Blades for Blocks, medium-hard building bricks, paving slabs, concrete roof tiles, other med hard materials, concrete roof tiles. Masonry & abrasives.

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 10 mm	1.8 mm	10	22730
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 10 mm	2.0 mm	10	22743
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 10 mm	2.0 mm	10	22756
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 10 mm	2.1 mm	10	22769
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 10 mm	2.2 mm	10	22772
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 10 mm	2.4 mm	10	22785
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 10 mm	2.4 mm	10	22798
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 10 mm	3.0 mm	10	22801

金刚石热压烧结锯片
热压刀形齿波纹锯片

Knife Shape Segment Turbo Saw Blades




MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional dry Blades for Blocks, medium-hard building bricks, paving slabs, concrete roof tiles, other med hard materials, concrete roof tiles. Masonry & abrasives.

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 10 mm	1.8 mm	10	22814
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 10 mm	2.0 mm	10	22827
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 10 mm	2.0 mm	10	22830
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 10 mm	2.1 mm	10	22843
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 10 mm	2.2 mm	10	22856
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 10 mm	2.4 mm	10	22869
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 10 mm	2.4 mm	10	22872
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 10 mm	3.0 mm	10	22885

金剛石热压烧结锯片
热压超薄细齿波纹片

Super Thin Fine Segments Turbo Blades




MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Blades for Ceramic and stone tiles, granite, marble, very hard bricks, concrete and other hard/dense materials, Blocks, building bricks, concrete roof tiles, oconcrete roof tiles. M

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	10 mm	2.1 mm	10	22898
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	10 mm	2.2 mm	10	22901
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	10 mm	2.4 mm	10	22914
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	10 mm	2.6 mm	10	22927
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	10 mm	2.6 mm	10	22930
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	10 mm	2.6 mm	10	22943
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	10 mm	2.8 mm	10	22956
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	10 mm	3.0 mm	10	22969
12" x 1" - 20	300 x 25.40-20.0 mm	5,100	10 mm	3.6 mm	10	22972
14" x 1" - 20	350 x 25.40-20.0 mm	4,400	10 mm	3.6 mm	10	22985

金剛石热压烧结锯片
圆形保护齿波纹锯片

Turbo Saw Blades with Circular Protected Segments




MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Blades for Ceramic and stone tiles, granite, marble, very hard bricks, concrete and other hard/dense materials, Blocks, building bricks, concrete roof tiles, oconcrete roof tiles. M

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 10 mm	2.1 mm	10	22998
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 10 mm	2.2 mm	10	23001
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 10 mm	2.4 mm	10	23014
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 10 mm	2.6 mm	10	23027
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 10 mm	2.6 mm	10	23030
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 10 mm	2.6 mm	10	23043
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 10 mm	2.8 mm	10	23056
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 10 mm	3.0 mm	10	23069
12" x 1" - 20	300 x 25.40-20.0 mm	5,100	8 / 10 mm	3.6 mm	10	23172
14" x 1" - 20	350 x 25.40-20.0 mm	4,400	8 / 10 mm	3.6 mm	10	23185

金剛石热压烧结锯片
扇型保护齿波纹锯片

Turbo Saw Blade with Fan-Type Segment





MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Blades for Ceramic and stone tiles, granite, marble, very hard bricks, concrete and other hard/dense materials, Blocks, building bricks, concrete roof tiles, oconcrete roof tiles. M

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	8 / 10 mm	2.1 mm	10	23198
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	8 / 10 mm	2.2 mm	10	23201
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	8 / 10 mm	2.4 mm	10	23214
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	8 / 10 mm	2.6 mm	10	23227
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	8 / 10 mm	2.6 mm	10	23230
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	8 / 10 mm	2.6 mm	10	23243
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	8 / 10 mm	2.8 mm	10	23256
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	8 / 10 mm	3.0 mm	10	23269
12" x 1" - 20	300 x 25.40-20.0 mm	5,100	8 / 10 mm	3.6 mm	10	23272
14" x 1" - 20	350 x 25.40-20.0 mm	4,400	8 / 10 mm	3.6 mm	10	23285

金刚石热压烧结锯片
热压烧结宽齿波纹片

Turbo Saw Blades with Broad Segment




MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Blades for Ceramic and stone tiles, granite, marble, very hard bricks, concrete and other hard/dense materials, Blocks, building bricks, concrete roof tiles, concrete roof tiles. M

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 12 mm	2.1 mm	10	23298
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 12 mm	2.2 mm	10	23301
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 12 mm	2.4 mm	10	23314
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 12 mm	2.6 mm	10	23327
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 12 mm	2.6 mm	10	23330
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 12 mm	2.6 mm	10	23343
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 12 mm	2.8 mm	10	23356
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 12 mm	3.0 mm	10	23369
12" x 1" - 20	300 x 25.40-20.0 mm	5,100	8 / 12 mm	3.6 mm	10	23372
14" x 1" - 20	350 x 25.40-20.0 mm	4,400	8 / 12 mm	3.6 mm	10	23385

金刚石热压烧结锯片
热压通用齿型波纹片

Turbo Saw Blade with Standard Segments




MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional Blades for Ceramic tile, porcelain, natural & artificial stone tiles, granite, marble, hard bricks, building materials, concrete and other hard/dense materials, concrete roof tiles, ma

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	8.0 mm	2.0 mm	10	23398
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	8.0 mm	2.2 mm	10	23401
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	8.0 mm	2.2 mm	10	23414
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	8.0 mm	2.3 mm	10	23427
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	8.0 mm	2.4 mm	10	23430
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	8.0 mm	2.6 mm	10	23443

金刚石热压烧结锯片
斜型保护齿波纹片

Turbo Blade with Slanting Protected Segments




MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Blades for Ceramic tile, porcelain, natural & artificial stone tiles, granite, marble, hard bricks, building materials, concrete and other hard/dense materials, concrete roof tiles, ma

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 10 mm	1.8 mm	10	23456
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 10 mm	2.0 mm	10	23469
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 10 mm	2.0 mm	10	23472
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 10 mm	2.1 mm	10	23485
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 10 mm	2.2 mm	10	23498
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 10 mm	2.4 mm	10	23601
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 10 mm	2.4 mm	10	23614
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 10 mm	3.0 mm	10	23627

金刚石热压烧结锯片
弧型保护齿波纹锯片

Turbo Saw Blades with Curved Segments





MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Blades for very hard bricks, block, concrete masonry, abrasive materials and other hard/dense materials, natural & artificial stone tiles, granite, marble, concrete and other hard materials

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 10 mm	1.8 mm	10	23630
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 10 mm	2.0 mm	10	23643
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 10 mm	2.0 mm	10	23656
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 10 mm	2.1 mm	10	23669
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 10 mm	2.2 mm	10	23672
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 10 mm	2.4 mm	10	23685
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 10 mm	2.4 mm	10	23698
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 10 mm	3.0 mm	10	23701

金刚石热压烧结锯片
皇冠形保护齿波纹锯片

Turbo Blades with Crown Shape Segments





MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Blades for very hard bricks, block, concrete masonry, abrasive materials and other hard/dense materials, natural & artificial stone tiles, granite, marble, concrete and other hard materials

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 10 mm	1.8 mm	10	23714
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 10 mm	2.0 mm	10	23727
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 10 mm	2.0 mm	10	23730
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 10 mm	2.1 mm	10	23743
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 10 mm	2.2 mm	10	23756
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 10 mm	2.4 mm	10	23769
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 10 mm	2.4 mm	10	23772
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 10 mm	3.0 mm	10	23785

金刚石热压烧结锯片
热压加强型波纹锯片

Turbo Saw Blades with Reinforced Segments



MACHINE TYPE: Suitable for Portable Hand-Held Circular Saw, Cut-off Gas Saw

WORKINGPIECE: Professional Blades for very hard bricks, block, concrete masonry, abrasive materials and other hard/dense materials, natural & artificial stone tiles, granite, marble, concrete and other hard materials

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Height of Segment	Width of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	7 / 10 mm	2.1 mm	10	23798
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	7 / 10 mm	2.2 mm	10	23801
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	7 / 10 mm	2.4 mm	10	23814
6" x 7/8" - 20	150 x 22.23-20.0 mm	10,185	7 / 10 mm	2.6 mm	10	23827
7" x DM-7/8" - 20	180 x DM 22.23-20.0 mm	8,730	7 / 10 mm	2.6 mm	10	23830
8" x DM-7/8" - 20	200 x DM 22.23-20.0 mm	7,640	7 / 10 mm	2.6 mm	10	23843
9" x DM-7/8" - 20	230 x DM 22.23-20.0 mm	6,600	7 / 10 mm	2.8 mm	10	23856
10" x 1" - 20	250 x 25.40-20.0 mm	6,100	7 / 10 mm	3.0 mm	10	23869
12" x 1" - 20	300 x 25.40-20.0 mm	5,100	8 / 10 mm	3.6 mm	10	23872
14" x 1" - 20	350 x 25.40-20.0 mm	4,400	8 / 10 mm	3.6 mm	10	23885